

PROJECT NAME
ORDERING #

Illuminate your indoor sports arena, warehouse, or supermarket aisles while lowering energy consumption and lowering the risk of lighting damage by choosing our tough LED linear high bay.

KEY SPECIFICATIONS

Input Power	150W, 200W, 300W, 400W
Input Voltage	100-277VAC, 347-480VAC
Delivered Light Output	150W - 21,000 lumens 200W - 28,000 lumens 300W - 42,000 lumens 400W - 56,000 lumens
System Efficacy	140 lm/W
CRI	80
CCT	5000K
Projected Lifetime	50,000 hours
Enclosure Rating	IP66
Controls	0-10V Dimming
Mounting	Suspension or bracket mounting
Warranty	5 Years
Certification	



150W - 2 Panels



200W / 300W - 4 Panels



400W - 6 Panels

ORDERING






Example: **LLTLPWL-150-50-UL**

Model Root	Wattage	CCT	Voltage
LLT-LP-WL	150 - 150W	50 - 5000K	UL - 100-277V
	200 - 200W		
	300 - 300W		
	400 - 400W		

PROJECT NAME

ORDERING #

ACCESSORIES

Item Type	Description	Product
Lenses	2-Lens Upgrade Kit	
	4-Lens Upgrade Kit	
	6-Lens Upgrade Kit	
Mounting	Rotatable Mount Bracket	
Sensors & Controls	Plug-and-Play Bi-Level PIR Sensor	
	Remote Controller	